



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/506,294	08/31/2004	Johannes Lenkl	3750-US/AD-13	3215
63721	7590	02/19/2010		
Avery Dennison Corporation 170 MONARCH LANE MIAMISBURG, OH 45342			EXAMINER OSELE, MARK A	
			ART UNIT	PAPER NUMBER
			1791	
			MAIL DATE	DELIVERY MODE
			02/19/2010	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/506,294	<b>Applicant(s)</b> LENKL, JOHANNES	
	<b>Examiner</b> Mark A. Osele	<b>Art Unit</b> 1791	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 07 December 2009.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☐ Claim(s) 2-6, 8-12, 14, 16-20, 23-26, 32-35 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 8, 9 and 25 is/are allowed.
- 6) ☒ Claim(s) 2-6, 10-12, 14, 16-20, 23, 24, 26, 32 and 35 is/are rejected.
- 7) ☒ Claim(s) 33 and 34 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)         | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)         | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                          |

**DETAILED ACTION**

***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 2, 3, 5, 19, 20, 32 and 35 are rejected under 35 U.S.C. 102(b) as being anticipated by Seberg et al. (U.S. Patent 3,613,208). Seberg et al. shows an applicator head for a device having an air suction source the applicator head comprising: a unitary applicator plate having a first side, 52, a second side, 54, adapted for operative fluid communication with the air suction source, and a thickness, 16, separating the first and second sides from one another; a plurality of wells, 56, formed in the applicator plate, each well having opposing first and second ends, said first end being an open end arranged at one of the first or second sides of the applicator plate and the second end being a closed end spaced apart from the first end such that a depth of the well is less than the thickness of the applicator plate; wherein each closed end comprises a selectively perforatable thin wall of material integral with the applicator plate, such that when perforated, fluid communication is established between the first and second sides of the applicator plate through the well having the perforated wall (Figs. 7, 8), and when unperforated, the wall of material obstructs fluid communication between the first and second sides of the applicator plate through the well having the unperforated wall (Figs. 5, 6).

Regarding claims 2 and 19, the wells are regularly arranged in a raster grid configuration (Fig. 5).

Regarding claim 3, the wells are distributed over the entire plate (Fig. 5).

Regarding claims 5 and 20, the wells are arranged in rows and columns (Fig. 5).

### ***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 2-6, 16-17, 19-20, 23, 32 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over French (U.S. Patent 3,888,725) in view of Seberg et al. (U.S. Patent 3,613,208). Regarding claim 32, French shows an applicator head for a device having an air suction source the applicator head comprising: a unitary applicator plate, 67, having a first side, a second side, 54, adapted for operative fluid communication with the air suction source, and a thickness, 16, separating the first and second sides from one another; a plurality of wells, formed in the applicator plate, each well having opposing first and second ends, said first end being an open end arranged at one of the first or second sides of the applicator plate (Col. 5, lines 32-36, 54-67, Col. 6, lines 18-25). French fails to show the second end of the well being closed.

Seberg et al. shows an applicator head for a device having an air suction source the applicator head comprising: a unitary applicator plate having a first side, 52, a

Art Unit: 1791

second side, 54, adapted for operative fluid communication with the air suction source, and a thickness, 16, separating the first and second sides from one another; a plurality of wells, 56, formed in the applicator plate, each well having opposing first and second ends, said first end being an open end arranged at one of the first or second sides of the applicator plate and the second end being a closed end spaced apart from the first end such that a depth of the well is less than the thickness of the applicator plate; wherein each closed end comprises a selectively perforatable thin wall of material integral with the applicator plate, such that when perforated, fluid communication is established between the first and second sides of the applicator plate through the well having the perforated wall (Figs. 7, 8), and when unperforated, the wall of material obstructs fluid communication between the first and second sides of the applicator plate through the well having the unperforated wall (Figs. 5, 6). It would have been obvious to one of ordinary skill in the art at the time of the invention to make the applicator plate of French with wells having a closed, as shown by Seberg et al. because Seberg et al. teaches that the method of creating orifices in an applicator plate by drilling or punching is problematic because their small diameter and thickness of the applicator plate makes it difficult to drill or punch through the entire thickness (column 1, lines 47-54).

As to claims 2, 3, and 5, Figures 3 and 5 show how the weak locations are regularly arranged over the entire applicator surface in rows and columns.

As to claim 4, Figure 3 shows grooves extending to the applicator surface.

As to claim 6, French further shows an applicator pad, 31, coupled to the applicator surface. (See Figure 4) Also included is a mounting frame releasably connected to the applicator pad (See Figure 2).

As to claim 16, although Seberg et al. suggests grinding the surface, 54, it appears that the weak locations could be perforated by hand, such as using a hand drill, which would have a handle.

As to claim 17, the carrier plate is releasably connected to the air suction force through tubes, 103.

As to claims 19-20, the formation in Figures 3 and 5 show a pattern of closely spaced dots that amounts to a raster grid with rows and columns.

As to claim 23, the carrier plate and applicator plate in Figure 4 of French includes a space in between.

5. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over French in view of Seberg et al. as applied to claim 6 above, and further in view of Von Hofe (U.S. Patent 2,492,908). The references as combined fail to show the applicator pad to be locked to a mounting frame.

Von Hofe discloses an apparatus for holding a flexible product which is in communication with an air suction source and also comprises a locking device with a mounting frame (36) for releasably locking the applicator pad (39) to the mounting frame. Von Hofe also includes an embodiment where an applicator pad (39) is coupled to the applicator surface of the shim (41). (See Figure 2.) It would have been obvious

Art Unit: 1791

to one of ordinary skill in the art at the time of the invention to use replace the connecting means of the references as combined with the connecting means of Von Hofe because they are functionally equivalent alternate expedients.

6. Claims 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over French in view of Seberg et al. and Von Hofe as applied to claim 10 above, and further in view of Tiefel (US Patent No. 5,885,406).

While Von Hofe shows an applicator pad with a mounting frame, there is no teaching in Von Hofe with respect to a locking device which includes a spring-loaded ball. It would have been obvious to one having ordinary skill in the art at the time the invention was made that such a locking device could be used in the device of the references as combined, because, as shown in Tiefel, such a locking device is known in the art and within the purview of one of ordinary skill to use as needed.

7. Claims 14 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over French in view of Seberg et al. as applied to claim 6 above, and further in view of Wood (US Patent No. 3,377,096) or Wilson et al. (US Patent No. 5,024,574).

French discloses releasably attaching the applicator plate and the carrier plate. Alternatively the plates could be non-releasably fastened together as shown in both Wood and Wilson. It would have been obvious to one having ordinary skill in the art at the time the invention was made to non-releasably fasten plates together by means of glue, because Wood and Wilson show that it is well known to glue surfaces together

Art Unit: 1791

which multiple plates are used in combination on a vacuum chuck. Using glue to adhere the plates together is a functionally equivalent alternative expedient of using fasteners, both being within the purview of the artisan.

8. Claims 18 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over French in view of Seberg et al. as applied to claim 6 above, and further in view of Becker (US Patent No. 6,182,957 B1). The references as combined fail to show the applicator plate to be deformable.

Becker discloses an apparatus for holding a flexible product which is in communication with an air suction source and also includes an applicator surface with trenches having a bottom which can be perforated by a tool which is made of a harder material than the plate to provide holes through the plate in a desired configuration. The material used in Becker is plastic material, and plastic materials are known to be deformable. It would have been obvious to one of ordinary skill in the art at the time of the invention to make the applicator plate of the references as combine of a deformable material because Becker shows plastic to be a functionally equivalent material for making a suction applicator plate.

***Allowable Subject Matter***

9. Claims 8-9 and 25 are allowed.



Art Unit: 1791

10. Claims 33 and 34 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

11. The following is a statement of reasons for the indication of allowable subject matter: None of the prior art suggests a plurality of wells having an open end of the first side, a plurality of wells having an open end on the second side and the first and second wells sharing a common thin wall. None of the prior art suggests the pad receiving means to be C-shaped guide rails.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark A. Osele whose telephone number is 571-272-1235. The examiner can normally be reached on M-F 10:00-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Philip Tucker can be reached on 571-272-1095. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1791

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Mark A Osele/  
Primary Examiner, Art Unit 1791

February 16, 2010